

In the claims:

Please amend the claims and add new claims as hereafter provided:

1 1. (Currently amended) A data service system, comprising:  
2 a server system that includes a request processor that schedules ~~external transaction~~  
3 requests from external clients for transactions to be serviced by the server system  
4 based on (1) classification contained in a classification tag of those requests  
5 having such a tag and (2) a default classification mechanism for those requests not  
6 having an associated classification tag; and  
7 an application system coupled to the server system, further ~~comprising~~ including  
8 an application engine that performs a requested transaction scheduled by the  
9 server system and provides an associated transaction response to the server  
10 system for return to the requesting external client,  
11 a business rule engine that stores business rules regarding classification of various  
12 transactions, and uses the business rules to analyze at least some of the  
13 transaction responses; and  
14 a tag generator that generates a classification tag for a particular transaction in a  
15 session based on the analysis of its associated transaction response by the  
16 business rule engine of a respective response to that transaction request,  
17 wherein the classification tag generated by the tag generator is attached to its ~~the~~  
18 respective transaction response before it is ~~sent~~ returned to the requesting  
19 external client to be subsequently attached by that client to any succeeding  
20 ~~whereby a corresponding classification tag may be attached by the~~  
21 ~~requesting client to subsequent related requests in that session to the data~~  
22 ~~service system for use by the server system.~~

1 2. (Original) The data service system of claim 1, wherein the tag generator causes the  
2 business rule engine to analyze the response with the business rules stored in the business  
3 rule engine to determine classification of the transaction such that subsequent requests  
4 that are part of the same transaction do not need to be classified again.

1 3. (Previously Amended) The data service system of claim 2, wherein the tag generator  
2 causes the business rule engine to selectively re-apply the business rules to responses to  
3 the subsequent requests to determine if reclassification is needed for the subsequent  
4 requests.

1 4. (Original) The data service system of claim 3, wherein the tag is updated if the tag  
2 generator determines that reclassification is needed.

1 5. (Original) The data service system of claim 1, wherein the server system attached the  
2 tag into the response by placing the tag (1) in a cookie, (2) in the body of the response  
3 message, or (3) in a URL of the response.

1 6. (Previously Amended) The data service system of claim 1, wherein when the server  
2 system receives a request, it parses the request to determine if the request is for an  
3 existing transaction or for a new transaction.

1 7. (Original) The data service system of claim 1, wherein the server system is a TCP/IP-  
2 based server application system.

1 8. (Original) The data service system of claim 7, wherein the server system is one of a  
2 web server system, an e-mail server system, a news server system, an e-commerce server  
3 system, a proxy server system, a domain name server system, and a local service server  
4 system.

1 9. (Previously Amended) In a data service system having an application system coupled  
2 to a server system, a method of classifying access requests, comprising:  
3 storing business rules regarding classification of responses to various externally requested  
4 transactions in a business rule engine;  
5 receiving an access request in the application system from the server system, wherein the  
6 access request is requesting the application system to perform an externally  
7 requested transaction and to generate a response for the request;

8 using the business rules to analyze the response to obtain the classification information of  
9 the transaction response;  
10 generating a tag containing the classification information;  
11 sending the tag to a requesting client that issued the request such that the tag is attached  
12 to subsequent external requests to the data service system for the same  
13 transaction; and  
14 scheduling requests to be serviced by the server system based at least in part on the  
15 classification information contained in the tag of each of the subsequent external  
16 requests.

B4  
Contd

1 10. (Currently amended) The method of claim 9, wherein the step of scheduling requests  
2 further ~~comprises~~ includes  
3 parsing each of the requests to determine if the request is for an existing  
4 transaction or for a new transaction; and  
5 if the request is for a new transaction, assigning a default tag to the request.

1 11. (Original) The method of claim 9, further comprising the step of re-applying the  
2 business rules to the responses of subsequent requests of an existing transaction to  
3 determine if reclassification is needed for the subsequent requests.

1 12. (Original) The method of claim 11, further comprising the step of updating the tag  
2 with new classification information if reclassification is needed.

1 13. (Original) The method of claim 9, wherein the step of sending the tag to a requesting  
2 client further comprises the step of attaching the tag into the response by placing the tag  
3 (1) in a cookie, (2) in the body of the response message, or (3) in a URL of the response.

---

B5

1 14. (New) A data service system, comprising:  
2 a server system configured for receiving and handling requests from clients external to  
3 the data service system and including  
4 a request processor configured for

5 establishing a classification of each of the requests that is classified,  
6 scheduling the requests according to their respective classification,  
7 assigning a default classification to requests that are not classified, and  
8 a server module configured for servicing the requests as scheduled;  
9 an application system having  
10 an application engine configured for  
11 performing requested transactions in response to the scheduled requests,  
12 and  
13 providing responses to the scheduled requests about the requested  
14 transactions,  
15 a business rule engine configured for  
16 storing business rules pertaining to transaction classifications,  
17 analyzing responses based on the business rules,  
18 a tag generator configured for generating, and regenerating, transaction  
19 classifications that correspondingly attach to the responses before they are  
20 returned to the clients, each transaction classification being associated  
21 with a particular session and being used with any subsequent requests  
22 within that session; and  
23 a database configured to serve as a repository for the data service system and for  
24 interacting with the application system in relation to the requested  
25 transactions.

1 15. (New) A data service system as in claim 14 in which the application system is  
2 connected to the server system via a gateway interface or via a plug-in application  
3 configured to operate in the same processing domain as the server system.

1 16. (New) A data service system as in claim 14 in which the server module contains  
2 a server engine, and  
3 a content generator configured to receive requests from the server engine  
4 and provide contents in response thereto, wherein the server engine

5 determines if the requests are to be directed to the content  
6 generator or the application system.

1 17. (New) A data service system as in claim 14 in which one or more of the requests  
2 received by the server system has a tag that holds a corresponding classification, wherein  
3 the response to each classified request with a tag has that tag and the response to each  
4 unclassified request has the default classification.

1 18. (New) A data service system as in claim 14 in which the application system is further  
2 configured with a cache for holding frequently accessed information.

1 19. (New) A data service system as in claim 14 in which the tag generator is configured  
2 to generate and regenerate the transaction classifications based on the analysis by the  
3 business rule engine which involves categorizing the requested transactions such that  
4 they are assigned a processing priority.

---